



The INES Archive Data Server

LWR10866LL.FITS Headers

Primary Header

```

SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '16/07/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 10866 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNOSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'YES' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 344.02 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 98.0 / Cross-correlation % successful
ITF = 'LWR83R94A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=180,B=32
COMMENT BY RA: LWR 4-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: OFFSET 1 FROM: SAO 183285
COMMENT BY RA: OFFSET 1 COORDINATES: 15 10 55.2 -26 00 27
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 7 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 6 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 7 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
DATEOBS = '15/06/81' / Observing date
TIMEOBS = '14:06:53' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode
EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 4196.699 / Integration time in seconds

```

```

RA      =          228.7500 / Homogeneous R.A. in degrees
DEC     =          -26.9664 / Homogeneous Dec. in degrees
TARGET  = '29 AMPHITRITE'   / Object as given by Guest Observer
TARGRA  =          228.7500 / R.A. in degrees (given by G0)
TARGDEC =          -26.9664 / Dec. in degrees (given by G0)
OBJECT  = 'ZZ 29 AMPHITRI' / Homogeneous Object ID
HJD-MID = 2444771.11738 / JD middle of obs. with Heliocentric corr.
COMMENT IUE-VICAR HEADER START
        LWR 10866, 29 AMPHITRITE, 70 MIN EXPOSURE, LOW DISP, LRG A
        USED A FOUR MINUTE HEATER WARMUP PRIOR TO THE READ
        PROGRAM:SADDM, OBSERVERS:LANE/NELSON, DATE:1981/166
COMMENT IUE-VICAR HEADER END
HISTORY START RAW_SCREEN                      16-JUL-1997 18:06:39
HISTORY 30 BRIGHT SPOTS DETECTED
HISTORY 0 MISSING MINOR FRAMES DETECTED
HISTORY 0 LINES AFFECTED BY MICROPHONICS:
HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY POINT SOURCE
HISTORY LARGE APERTURE CONTINUUM DN LEVEL = 139
HISTORY SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY BACKGROUND DN LEVEL = 40
HISTORY END RAW_SCREEN                       16-JUL-1997 18:07:16
HISTORY START EXTRACTION                     21-JAN-1998 19:54:39
HISTORY INES NOISE MODEL USED
HISTORY CROSS-DISPERSION PROFILES BINNED IN 18 BLOCKS
HISTORY EMPIRICAL EXTRACTION
HISTORY CENTROID FOUND AT LINE 50.3
HISTORY REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY OUT OF 14720 PIXELS 1 REJECTED AS COSMIC RAY HITS
HISTORY END EXTRACTION                       21-JAN-1998 19:54:47
END

```

Binary Table Header

```

XTENSION= 'BINTABLE' /Written by IDL: 21-Jan-1998 19:54:47.00
BITPIX  =          8 /
NAXIS   =          2 /Binary table
NAXIS1  =         14 /Number of bytes per row
NAXIS2  =         562 /Number of rows
PCOUNT  =          0 /Random parameter count
GCOUNT  =          1 /Group count
TFIELDS =          4 /Number of columns
TFORM1  = '1E      ' /Real*4 (floating point)
TTYPE1  = 'WAVELENGTH' /Label for column 1
TUNIT1  = 'ANGSTROM' /Units of column 1
TDISP1  = 'F10.3  ' /Display format for column 1
TFORM2  = '1E      ' /Real*4 (floating point)
TTYPE2  = 'FLUX    ' /Label for column 2
TUNIT2  = 'ERG/CM2/S/A' /Units of column 2
TDISP2  = 'E15.7  ' /Display format for column 2
TFORM3  = '1E      ' /Real*4 (floating point)
TTYPE3  = 'SIGMA   ' /Label for column 3
TUNIT3  = 'ERG/CM2/S/A' /Units of column 3
TDISP3  = 'E15.7  ' /Display format for column 3
TFORM4  = '1I      ' /Integer*2 (short integer)
TTYPE4  = 'QUALITY ' /Label for column 4
TUNIT4  = '        ' /Units of column 4
TDISP4  = 'I7      ' /Display format for column 4
FILENAME= 'LWR10866LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END

```

