The INES Archive Data Server

LWR13675LL.FITS Headers

Primary Header

```
SIMPLE  =                    T / Standard FITS Format
BITPIX  =                    8 /8 bits ASCII
NAXIS   =                    0 /No image data
EXTEND  =                    T /Extensions are present
TELESCOP= 'IUE     '           / International Ultraviolet Explorer
DATE    = '16/04/97'           /Date file is written (*new FITS standard*)
ORIGIN  = 'GSFC    '           / Institution generating the file
CAMERA  = 'LWR     '           / Camera
IMAGE   =                13675 / Sequential image number
DISPERSN= 'LOW     '           / Dispersion processing type
APERTURE= 'LARGE   '           / Aperture
ABNNOSTD= 'NO      '           / Non-standard image acquisition
ABNBADSC= 'NO      '           / LWP bad scans
ABNHTRWU= 'YES     '           / LWR heater warmup
ABNREAD = 'NO      '           / Read at other than 20 KB
ABNUVC  = 'NO      '           / Non-standard UVC voltage
ABNHISTR= 'NO      '           / History replay
ABNOTHER= 'NO      '           / Other abnormality
POSANGLE=               212.47 / Pos angle of the large aperture (deg)
ABNMINFR= 'YES     '           / Bad/missing minor frames
CC-PERCN=                97.3 / Cross-correlation % successful
ITF     = 'LWR83R96A'          / ITF identification
COMMENT BY RA:  EXP 1 APER L C=100,B=26
COMMENT BY RA:  LWR 4-MINUTE HEATER WARMUP
COMMENT BY RA:    18 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA:  EXP 1 TRACKED ON GYROS
COMMENT BY RA:  S   PREP USED
COMMENT BY RA:  Ping:61DN from Y=864 to 849
COMMENT BY RA:  Homogeneous coordinates not available; GO coordinates used.
DATEOBS = '13/07/82'           / Observing date
TIMEOBS = '19:29:19'           / Observing time
EXPTRMD = 'NO-TRAIL'           / Trail mode
EXPMULT = 'NO      '           / Multiple exposure mode
EXPSEGM = 'NO      '           / Segmented exposure code
EXPTIME =              899.765 / Integration time in seconds
RA      =             301.3125 / Homogeneous R.A. in degrees
DEC     =             -32.1317 / Homogeneous Dec. in degrees
TARGET  = 'BAMBERGA'           / Object as given by Guest Observer
TARGRA  =             301.3125 / R.A. in degrees (given by GO)
TARGDEC =             -32.1317 / Dec. in degrees (given by GO)
OBJECT  = 'ZZ  324 BAMBERGA'             / Homogeneous Object ID
HJD-MID =        2445164.32295 / JD middle of obs. with Heliocentric corr.
COMMENT IUE-VICAR HEADER START
        LWR 13675, ASTEROID BAMBERGA, 15 MIN EXPO, LOW DISP, LGAP
```

```
        USED THE FOUR MINUTE HEATER WARM-UP PRIOR TO THE READ
        OBSERVER: GLENN VEEDER   PROGRAM: SAEDM   DAY 194 13 JUL 8
COMMENT IUE-VICAR HEADER END
HISTORY START RAW_SCREEN                              16-APR-1997 03:22:42
HISTORY   18 BRIGHT SPOTS DETECTED
HISTORY   13 MISSING MINOR FRAMES DETECTED
HISTORY   14 LINES AFFECTED BY MICROPHONICS:
HISTORY         LINE:  30
HISTORY         LINE:  31
HISTORY         LINE:  32
HISTORY         LINE:  33
HISTORY         LINE:  34
HISTORY         LINE:  35
HISTORY         LINE:  36
HISTORY         LINE:  37
HISTORY         LINE:  38
HISTORY         LINE:  39
HISTORY         LINE:  40
HISTORY         LINE:  41
HISTORY         LINE:  42
HISTORY         LINE:  43
HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY           POINT SOURCE
HISTORY LARGE APERTURE CONTINUUM DN LEVEL =  77
HISTORY SMALL APERTURE CONTINUUM DN LEVEL =   0
HISTORY BACKGROUND DN LEVEL =  30
HISTORY END   RAW_SCREEN                              16-APR-1997 03:24:11
HISTORY START EXTRACTION                              22-JAN-1998 03:19:35
HISTORY INES NOISE MODEL USED
HISTORY CROSS-DISPERSION PROFILES BINNED IN   9 BLOCKS
HISTORY EMPIRICAL EXTRACTION
HISTORY CENTROID FOUND AT LINE  51.9
HISTORY REJECT PIXELS DEVIATING BY  5.0 SIGMA
HISTORY OUT OF    14720 PIXELS        2 REJECTED AS COSMIC RAY HITS
HISTORY END EXTRACTION                                22-JAN-1998 03:19:53
END
```

Binary Table Header

```
XTENSION= 'BINTABLE'           /Written by IDL:  22-Jan-1998 03:19:53.00
BITPIX  =                    8 /
NAXIS   =                    2 /Binary table
NAXIS1  =                   14 /Number of bytes per row
NAXIS2  =                  562 /Number of rows
PCOUNT  =                    0 /Random parameter count
GCOUNT  =                    1 /Group count
TFIELDS =                    4 /Number of columns
TFORM1  = '1E      '           /Real*4 (floating point)
TTYPE1  = 'WAVELENGTH'         /Label for column 1
TUNIT1  = 'ANGSTROM'           /Units of column 1
TDISP1  = 'F10.3   '           /Display format for column 1
TFORM2  = '1E      '           /Real*4 (floating point)
TTYPE2  = 'FLUX    '           /Label for column 2
TUNIT2  = 'ERG/CM2/S/A'        /Units of column 2
TDISP2  = 'E15.7   '           /Display format for column 2
TFORM3  = '1E      '           /Real*4 (floating point)
TTYPE3  = 'SIGMA   '           /Label for column 3
TUNIT3  = 'ERG/CM2/S/A'        /Units of column 3
TDISP3  = 'E15.7   '           /Display format for column 3
TFORM4  = '1I      '           /Integer*2 (short integer)
TTYPE4  = 'QUALITY '           /Label for column 4
TUNIT4  = '        '           /Units of column 4
```

```
TDISP4  = 'I7      '           /Display format for column 4
FILENAME= 'LWR13675LL.FITS'    /Filename(camera)(number)(disp)(aper).FITS
END
```

Version 3.0 - June 2000