



The INES Archive Data Server

LWR12298LL.FITS Headers

Primary Header

```

SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '11/07/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 12298 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNNSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'YES' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 190.18 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 98.0 / Cross-correlation % successful
ITF = 'LWR83R94A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=160,B=50
COMMENT BY RA: LWR 4-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: OFFSET 1 FROM: SAO 117718
COMMENT BY RA: OFFSET 1 COORDINATES: 09 25 49.4 +08 24 26
COMMENT BY RA: OFFSET 1 MAGNITUDE: 5.880
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 7 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 6 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 7 EXPOSED 299.701 SEC.(EFF); 300.0 SEC.(COM)
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
DATEOBS = '07/01/82' / Observing date
TIMEOBS = '00:04:49' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode
EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code

```

```

EXPTIME =          5698.292 / Integration time in seconds
RA       =          140.9617 / Homogeneous R.A. in degrees
DEC      =           8.5847 / Homogeneous Dec. in degrees
TARGET   = '354 ELEONORA'   / Object as given by Guest Observer
TARGRA   =          140.9617 / R.A. in degrees (given by G0)
TARGDEC  =           8.5847 / Dec. in degrees (given by G0)
OBJECT   = 'ZZ 354 ELEONORA' / Homogeneous Object ID
HJD-MID  =          2444976.54099 / JD middle of obs. with Heliocentric corr.
COMMENT  IUE-VICAR HEADER START
        LWR 12298, 354 ELEONORA, 100 MIN EXPO, LOW DISP, LARGE APE
        USED 4 MINUTE EXTENDED HEATER WARMUP FOR READ
        OFFSET FROM SAO 117718, EXPO TAKEN IN 7 PARTS, 6X15 M + 5
        PROGRAM:SADDM  OBSERVERS:NELSON/OCKERT  DATE:1982/007
COMMENT  IUE-VICAR HEADER END
HISTORY  START RAW_SCREEN                               11-JUL-1997 04:31:03
HISTORY   30 BRIGHT SPOTS DETECTED
HISTORY   0 MISSING MINOR FRAMES DETECTED
HISTORY   0 LINES AFFECTED BY MICROPHONICS:
HISTORY  LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY          POINT SOURCE
HISTORY  LARGE APERTURE CONTINUUM DN LEVEL = 142
HISTORY  SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY  BACKGROUND DN LEVEL = 51
HISTORY  END RAW_SCREEN                                 11-JUL-1997 04:32:27
HISTORY  START EXTRACTION                              21-JAN-1998 23:37:51
HISTORY  INES NOISE MODEL USED
HISTORY  CROSS-DISPERSION PROFILES BINNED IN 14 BLOCKS
HISTORY  EMPIRICAL EXTRACTION
HISTORY  CENTROID FOUND AT LINE 50.7
HISTORY  REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY  OUT OF 14720 PIXELS 0 REJECTED AS COSMIC RAY HITS
HISTORY  END EXTRACTION                               21-JAN-1998 23:37:59
END

```

Binary Table Header

```

XTENSION= 'BINTABLE' /Written by IDL: 21-Jan-1998 23:37:59.00
BITPIX  =           8 /
NAXIS   =           2 /Binary table
NAXIS1  =          14 /Number of bytes per row
NAXIS2  =          562 /Number of rows
PCOUNT  =           0 /Random parameter count
GCOUNT  =           1 /Group count
TFIELDS =           4 /Number of columns
TFORM1  = '1E      ' /Real*4 (floating point)
TTYPER1 = 'WAVELENGTH' /Label for column 1
TUNIT1  = 'ANGSTROM' /Units of column 1
TDISP1  = 'F10.3  ' /Display format for column 1
TFORM2  = '1E      ' /Real*4 (floating point)
TTYPER2 = 'FLUX    ' /Label for column 2
TUNIT2  = 'ERG/CM2/S/A' /Units of column 2
TDISP2  = 'E15.7  ' /Display format for column 2
TFORM3  = '1E      ' /Real*4 (floating point)
TTYPER3 = 'SIGMA   ' /Label for column 3
TUNIT3  = 'ERG/CM2/S/A' /Units of column 3
TDISP3  = 'E15.7  ' /Display format for column 3
TFORM4  = '1I      ' /Integer*2 (short integer)
TTYPER4 = 'QUALITY ' /Label for column 4
TUNIT4  = '        ' /Units of column 4
TDISP4  = 'I7      ' /Display format for column 4
FILENAME= 'LWR12298LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END

```

