



The INES Archive Data Server

LWR16196LL.FITS Headers

Primary Header

```

SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '10/06/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 16196 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNOSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'YES' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 112.48 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 86.7 / Cross-correlation % successful
ITF = 'LWR83R96A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=190,B=50
COMMENT BY RA: LWR 4-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 5 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 779.752 SEC.(EFF); 780.0 SEC.(COM)
COMMENT BY RA: Ping: 8 DN from Y=878 to Y=873.
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
DATEOBS = '21/06/83' / Observing date
TIMEOBS = '11:12:43' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode
EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 4978.058 / Integration time in seconds
RA = 271.2349 / Homogeneous R.A. in degrees
DEC = -20.9125 / Homogeneous Dec. in degrees
TARGET = '410 CHLR' / Object as given by Guest Observer

```

```

TARGRA = 271.2349 / R.A. in degrees (given by G0)
TARGDEC = -20.9125 / Dec. in degrees (given by G0)
OBJECT = 'ZZ 410 CHLR' / Homogeneous Object ID
HJD-MID = 2445507.00183 / JD middle of obs. with Heliocentric corr.
COMMENT IUE-VICAR HEADER START
LWR 16196, 410 CHLORIS, 83 MINUTE EXPOSURE (TAKEN IN 5 PTS
OF 10 MIN, 3 X 20 MIN, 13 MIN), LARGE APERTURE, LOW DISP.
USED THE 4 MINUTE HEATER WARMUP AS PING AVOIDANCE TECHNIQU
OBSRVRS: NELSON/TEDESCO PROGRAM: SPFRN 1983/DAY 17
COMMENT IUE-VICAR HEADER END
HISTORY START RAW_SCREEN 10-JUN-1997 19:37:24
HISTORY 34 BRIGHT SPOTS DETECTED
HISTORY 0 MISSING MINOR FRAMES DETECTED
HISTORY 4 LINES AFFECTED BY MICROPHONICS:
HISTORY LINE: 19
HISTORY LINE: 20
HISTORY LINE: 21
HISTORY LINE: 22
HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY POINT SOURCE
HISTORY LARGE APERTURE CONTINUUM DN LEVEL = 157
HISTORY SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY BACKGROUND DN LEVEL = 55
HISTORY END RAW_SCREEN 10-JUN-1997 19:38:03
HISTORY START EXTRACTION 22-JAN-1998 09:51:51
HISTORY INES NOISE MODEL USED
HISTORY CROSS-DISPERSION PROFILES BINNED IN 17 BLOCKS
HISTORY EMPIRICAL EXTRACTION
HISTORY CENTROID FOUND AT LINE 50.8
HISTORY REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY OUT OF 14720 PIXELS 3 REJECTED AS COSMIC RAY HITS
HISTORY END EXTRACTION 22-JAN-1998 09:51:59
END

```

Binary Table Header

```

XTENSION= 'BINTABLE' /Written by IDL: 22-Jan-1998 09:52:00.00
BITPIX = 8 /
NAXIS = 2 /Binary table
NAXIS1 = 14 /Number of bytes per row
NAXIS2 = 562 /Number of rows
PCOUNT = 0 /Random parameter count
GCOUNT = 1 /Group count
TFIELDS = 4 /Number of columns
TFORM1 = '1E ' /Real*4 (floating point)
TTYPE1 = 'WAVELENGTH' /Label for column 1
TUNIT1 = 'ANGSTROM' /Units of column 1
TDISP1 = 'F10.3 ' /Display format for column 1
TFORM2 = '1E ' /Real*4 (floating point)
TTYPE2 = 'FLUX ' /Label for column 2
TUNIT2 = 'ERG/CM2/S/A' /Units of column 2
TDISP2 = 'E15.7 ' /Display format for column 2
TFORM3 = '1E ' /Real*4 (floating point)
TTYPE3 = 'SIGMA ' /Label for column 3
TUNIT3 = 'ERG/CM2/S/A' /Units of column 3
TDISP3 = 'E15.7 ' /Display format for column 3
TFORM4 = '1I ' /Integer*2 (short integer)
TTYPE4 = 'QUALITY ' /Label for column 4
TUNIT4 = ' ' /Units of column 4
TDISP4 = 'I7 ' /Display format for column 4
FILENAME= 'LWR16196LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END

```

