



The INES Archive Data Server

LWR09946LL.FITS Headers

Primary Header

```

SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '19/07/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 9946 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNOSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'NO' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 180.03 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 90.0 / Cross-correlation % successful
ITF = 'LWR83R96A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=2X,B=34
COMMENT BY RA: LWR 0-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: OFFSET 1 FROM: AGK2 1579
COMMENT BY RA: OFFSET 1 COORDINATES: 12 00 9.4 +03 51 07
COMMENT BY RA: OFFSET 1 MAGNITUDE: 7.200
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 8 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 6 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 7 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 8 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: Ping DN=51 Y=520 to Y=526
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
DATEOBS = '18/02/81' / Observing date
TIMEOBS = '23:10:49' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode

```

```

EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 5096.464 / Integration time in seconds
RA = 181.0638 / Homogeneous R.A. in degrees
DEC = 3.5831 / Homogeneous Dec. in degrees
TARGET = '44 NYSA' / Object as given by Guest Observer
TARGRA = 181.0638 / R.A. in degrees (given by G0)
TARGDEC = 3.5831 / Dec. in degrees (given by G0)
OBJECT = 'ZZ 44 NYSA' / Homogeneous Object ID
HJD-MID = 2444654.50031 / JD middle of obs. with Heliocentric corr.
COMMENT IUE-VICAR HEADER START
LWR 9946, 44 NYSA, LOW DISP, LARGE APER, 85 MIN EXPOSURE
EXPOSED IN SEVEN 10 MIN SEGMENTS & A FINAL 15 MIN SEGMENT
OBSERVERS: LANE/NELSON, PROGRAM: SACDM, DATE: 1981/049-5
COMMENT IUE-VICAR HEADER END
HISTORY START RAW_SCREEN 19-JUL-1997 05:58:08
HISTORY 28 BRIGHT SPOTS DETECTED
HISTORY 0 MISSING MINOR FRAMES DETECTED
HISTORY 10 LINES AFFECTED BY MICROPHONICS:
HISTORY LINE: 371
HISTORY LINE: 372
HISTORY LINE: 373
HISTORY LINE: 374
HISTORY LINE: 375
HISTORY LINE: 376
HISTORY LINE: 377
HISTORY LINE: 378
HISTORY LINE: 379
HISTORY LINE: 380
HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY POINT SOURCE
HISTORY LARGE APERTURE CONTINUUM DN LEVEL = 255
HISTORY SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY BACKGROUND DN LEVEL = 40
HISTORY END RAW_SCREEN 19-JUL-1997 05:58:52
HISTORY START EXTRACTION 21-JAN-1998 17:31:15
HISTORY INES NOISE MODEL USED
HISTORY CROSS-DISPERSION PROFILES BINNED IN 36 BLOCKS
HISTORY EMPIRICAL EXTRACTION
HISTORY CENTROID FOUND AT LINE 51.1
HISTORY REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY OUT OF 14720 PIXELS 1 REJECTED AS COSMIC RAY HITS
HISTORY END EXTRACTION 21-JAN-1998 17:31:25
END

```

Binary Table Header

```

XTENSION= 'BINTABLE' /Written by IDL: 21-Jan-1998 17:31:26.00
BITPIX = 8 /
NAXIS = 2 /Binary table
NAXIS1 = 14 /Number of bytes per row
NAXIS2 = 562 /Number of rows
PCOUNT = 0 /Random parameter count
GCOUNT = 1 /Group count
TFIELDS = 4 /Number of columns
TFORM1 = '1E' /Real*4 (floating point)
TTYPE1 = 'WAVELENGTH' /Label for column 1
TUNIT1 = 'ANGSTROM' /Units of column 1
TDISP1 = 'F10.3' /Display format for column 1
TFORM2 = '1E' /Real*4 (floating point)
TTYPE2 = 'FLUX' /Label for column 2
TUNIT2 = 'ERG/CM2/S/A' /Units of column 2

```

```
TDISP2 = 'E15.7 ' /Display format for column 2
TFORM3 = '1E ' /Real*4 (floating point)
TTYPE3 = 'SIGMA ' /Label for column 3
TUNIT3 = 'ERG/CM2/S/A' /Units of column 3
TDISP3 = 'E15.7 ' /Display format for column 3
TFORM4 = '1I ' /Integer*2 (short integer)
TTYPE4 = 'QUALITY ' /Label for column 4
TUNIT4 = ' ' /Units of column 4
TDISP4 = 'I7 ' /Display format for column 4
FILENAME= 'LWR09946LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END
```

[Home](#) | [HelpDesk](#) | [Overview](#) | [LAEFF](#)

[Version 3.0](#) - June 2000