



The INES Archive Data Server

LWR09947LL.FITS Headers

Primary Header

```

SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '19/07/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 9947 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNOSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'NO' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 180.03 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 94.0 / Cross-correlation % successful
ITF = 'LWR83R96A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=180,B=32
COMMENT BY RA: LWR 0-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 5 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 599.528 SEC.(EFF); 600.0 SEC.(COM)
COMMENT BY RA: Ping DN=49 Y=540 to Y=548
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
DATEOBS = '19/02/81' / Observing date
TIMEOBS = '01:41:52' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode
EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 2997.642 / Integration time in seconds
RA = 181.0638 / Homogeneous R.A. in degrees
DEC = 3.5831 / Homogeneous Dec. in degrees
TARGET = '44 NYSA' / Object as given by Guest Observer

```

TARGRA = 181.0638 / R.A. in degrees (given by G0)
 TARGDEC = 3.5831 / Dec. in degrees (given by G0)
 OBJECT = 'ZZ 44 NYSA' / Homogeneous Object ID
 HJD-MID = 2444654.59306 / JD middle of obs. with Heliocentric corr.
 COMMENT IUE-VICAR HEADER START
 LWR 9947, 44 NYSA, LOW DISP, LARGE APER, 50 MIN EXPOSURE
 EXPOSED IN FIVE 10 MINUTE SEGMENTS
 OBSERVERS: LANE/NELSON, PROGRAM: SACDM, DATE: 1981/049-5
 COMMENT IUE-VICAR HEADER END
 HISTORY START RAW_SCREEN 19-JUL-1997 05:38:51
 HISTORY 26 BRIGHT SPOTS DETECTED
 HISTORY 0 MISSING MINOR FRAMES DETECTED
 HISTORY 12 LINES AFFECTED BY MICROPHONICS:
 HISTORY LINE: 349
 HISTORY LINE: 350
 HISTORY LINE: 351
 HISTORY LINE: 352
 HISTORY LINE: 353
 HISTORY LINE: 354
 HISTORY LINE: 355
 HISTORY LINE: 356
 HISTORY LINE: 357
 HISTORY LINE: 358
 HISTORY LINE: 359
 HISTORY LINE: 360
 HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
 HISTORY POINT SOURCE
 HISTORY LARGE APERTURE CONTINUUM DN LEVEL = 166
 HISTORY SMALL APERTURE CONTINUUM DN LEVEL = 0
 HISTORY BACKGROUND DN LEVEL = 37
 HISTORY END RAW_SCREEN 19-JUL-1997 05:40:11
 HISTORY START EXTRACTION 21-JAN-1998 17:31:27
 HISTORY INES NOISE MODEL USED
 HISTORY CROSS-DISPERSION PROFILES BINNED IN 24 BLOCKS
 HISTORY EMPIRICAL EXTRACTION
 HISTORY CENTROID FOUND AT LINE 51.0
 HISTORY REJECT PIXELS DEVIATING BY 5.0 SIGMA
 HISTORY OUT OF 14720 PIXELS 2 REJECTED AS COSMIC RAY HITS
 HISTORY END EXTRACTION 21-JAN-1998 17:31:38
 END

Binary Table Header

XTENSION= 'BINTABLE' /Written by IDL: 21-Jan-1998 17:31:38.00
 BITPIX = 8 /
 NAXIS = 2 /Binary table
 NAXIS1 = 14 /Number of bytes per row
 NAXIS2 = 562 /Number of rows
 PCOUNT = 0 /Random parameter count
 GCOUNT = 1 /Group count
 TFIELDS = 4 /Number of columns
 TFORM1 = '1E' /Real*4 (floating point)
 TTYPE1 = 'WAVELENGTH' /Label for column 1
 TUNIT1 = 'ANGSTROM' /Units of column 1
 TDISP1 = 'F10.3' /Display format for column 1
 TFORM2 = '1E' /Real*4 (floating point)
 TTYPE2 = 'FLUX' /Label for column 2
 TUNIT2 = 'ERG/CM2/S/A' /Units of column 2
 TDISP2 = 'E15.7' /Display format for column 2
 TFORM3 = '1E' /Real*4 (floating point)
 TTYPE3 = 'SIGMA' /Label for column 3
 TUNIT3 = 'ERG/CM2/S/A' /Units of column 3

```
TDISP3 = 'E15.7 ' /Display format for column 3
TFORM4 = '1I ' /Integer*2 (short integer)
TTYPE4 = 'QUALITY ' /Label for column 4
TUNIT4 = ' ' /Units of column 4
TDISP4 = 'I7 ' /Display format for column 4
FILENAME= 'LWR09947LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END
```

[Home](#) | [HelpDesk](#) | [Overview](#) | [LAEFF](#)

[Version 3.0](#) - June 2000