



The INES Archive Data Server

LWR12766LL.FITS Headers

Primary Header

```

SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '18/06/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 12766 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNOSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'YES' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 174.52 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 86.7 / Cross-correlation % successful
ITF = 'LWR83R96A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=160,B=42
COMMENT BY RA: LWR 4-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: OFFSET 1 FROM: SAO 158990
COMMENT BY RA: OFFSET 1 COORDINATES: 15 00 9.0 -10 11 47
COMMENT BY RA: OFFSET 1 MAGNITUDE: 7.700
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 8 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 6 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 7 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 8 EXPOSED 1499.829 SEC.(EFF); 1500.0 SEC.(COM)
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
COMMENT BY RA: "Ping: 13 DN from Y=895 to Y=873"
DATEOBS = '11/03/82' / Observing date
TIMEOBS = '11:41:42' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode

```

```

EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 9896.976 / Integration time in seconds
RA = 225.6087 / Homogeneous R.A. in degrees
DEC = -9.8467 / Homogeneous Dec. in degrees
TARGET = '51 NEMAUSA' / Object as given by Guest Observer
TARGRA = 225.6087 / R.A. in degrees (given by G0)
TARGDEC = -9.8467 / Dec. in degrees (given by G0)
OBJECT = 'ZZ 51 NEMAUSA' / Homogeneous Object ID
HJD-MID = 2445040.04780 / JD middle of obs. with Heliocentric corr.
COMMENT IUE-VICAR HEADER START
LWR 12766, 51 NEMAUSA, 165 MINUTES TOTAL EXPOSURE (7-TWENTY
MIN. EXPOSURES + 1-TWENTY FIVE MINUTE EXPOSURE), LARGE
APERTURE, LOW DISPERSION. FOUR MIN. HTR. WARMUP USED.
OBSERVER: BOB NELSON PROGRAM: SADDM 1982/070/11 MA
COMMENT IUE-VICAR HEADER END
HISTORY START RAW_SCREEN 18-JUN-1997 16:03:47
HISTORY 55 BRIGHT SPOTS DETECTED
HISTORY 0 MISSING MINOR FRAMES DETECTED
HISTORY 6 LINES AFFECTED BY MICROPHONICS:
HISTORY LINE: 1
HISTORY LINE: 2
HISTORY LINE: 3
HISTORY LINE: 4
HISTORY LINE: 5
HISTORY LINE: 6
HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY POINT SOURCE
HISTORY LARGE APERTURE CONTINUUM DN LEVEL = 135
HISTORY SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY BACKGROUND DN LEVEL = 47
HISTORY END RAW_SCREEN 18-JUN-1997 16:04:27
HISTORY START EXTRACTION 22-JAN-1998 01:10:59
HISTORY INES NOISE MODEL USED
HISTORY CROSS-DISPERSION PROFILES BINNED IN 12 BLOCKS
HISTORY EMPIRICAL EXTRACTION
HISTORY CENTROID FOUND AT LINE 49.6
HISTORY REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY OUT OF 14720 PIXELS 2 REJECTED AS COSMIC RAY HITS
HISTORY END EXTRACTION 22-JAN-1998 01:11:08
END

```

Binary Table Header

```

XTENSION= 'BINTABLE' /Written by IDL: 22-Jan-1998 01:11:09.00
BITPIX = 8 /
NAXIS = 2 /Binary table
NAXIS1 = 14 /Number of bytes per row
NAXIS2 = 562 /Number of rows
PCOUNT = 0 /Random parameter count
GCOUNT = 1 /Group count
TFIELDS = 4 /Number of columns
TFORM1 = '1E' /Real*4 (floating point)
TTYPE1 = 'WAVELENGTH' /Label for column 1
TUNIT1 = 'ANGSTROM' /Units of column 1
TDISP1 = 'F10.3' /Display format for column 1
TFORM2 = '1E' /Real*4 (floating point)
TTYPE2 = 'FLUX' /Label for column 2
TUNIT2 = 'ERG/CM2/S/A' /Units of column 2
TDISP2 = 'E15.7' /Display format for column 2
TFORM3 = '1E' /Real*4 (floating point)
TTYPE3 = 'SIGMA' /Label for column 3

```

```
TUNIT3 = 'ERG/CM2/S/A'      /Units of column 3
TDISP3 = 'E15.7'          /Display format for column 3
TFORM4 = 'I1'             /Integer*2 (short integer)
TTYPER4 = 'QUALITY'       /Label for column 4
TUNIT4 = '                ' /Units of column 4
TDISP4 = 'I7'             /Display format for column 4
FILENAME= 'LWR12766LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END
```

[Home](#) | [HelpDesk](#) | [Overview](#) | [LAEFF](#)

[Version 3.0](#) - June 2000