



The INES Archive Data Server

LWR10880LL.FITS Headers

Primary Header

```

SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '16/07/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 10880 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNNSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'YES' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 348.98 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 90.0 / Cross-correlation % successful
ITF = 'LWR83R96A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=150,B=33
COMMENT BY RA: LWR 4-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: OFFSET 1 FROM: SAO 184396
COMMENT BY RA: OFFSET 1 COORDINATES: 16 24 15.2 -22 00 41
COMMENT BY RA: OFFSET 1 MAGNITUDE: 7.600
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 5 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
DATEOBS = '17/06/81' / Observing date
TIMEOBS = '11:58:16' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode
EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 4498.826 / Integration time in seconds
RA = 246.2525 / Homogeneous R.A. in degrees
DEC = -22.6803 / Homogeneous Dec. in degrees

```

```

TARGET = '9 METIS ' / Object as given by Guest Observer
TARGRA = 246.5025 / R.A. in degrees (given by G0)
TARGDEC = -22.6803 / Dec. in degrees (given by G0)
OBJECT = 'ZZ 9 METIS' / Homogeneous Object ID
HJD-MID = 2444773.03041 / JD middle of obs. with Heliocentric corr.
COMMENT IUE-VICAR HEADER START
LWR 10880, METIS, 75 MIN, LARGE APERTURE, LOW DISPERSION
READ W/ 4 MIN EXTENDED HTR WARM-UP
EXPOSED IN 5 SEGMENTS 15 MN EACH-POSITION CHECKED EACH TIM
PROGRAM:SADDM, OBSERVERS:LANE/NELSON, DATE:1981/168
COMMENT IUE-VICAR HEADER END
HISTORY START RAW_SCREEN 16-JUL-1997 10:07:38
HISTORY 31 BRIGHT SPOTS DETECTED
HISTORY 0 MISSING MINOR FRAMES DETECTED
HISTORY 0 LINES AFFECTED BY MICROPHONICS:
HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY POINT SOURCE
HISTORY LARGE APERTURE CONTINUUM DN LEVEL = 112
HISTORY SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY BACKGROUND DN LEVEL = 40
HISTORY END RAW_SCREEN 16-JUL-1997 10:08:34
HISTORY START EXTRACTION 21-JAN-1998 19:56:59
HISTORY INES NOISE MODEL USED
HISTORY CROSS-DISPERSION PROFILES BINNED IN 12 BLOCKS
HISTORY EMPIRICAL EXTRACTION
HISTORY CENTROID FOUND AT LINE 51.0
HISTORY REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY OUT OF 14720 PIXELS 2 REJECTED AS COSMIC RAY HITS
HISTORY END EXTRACTION 21-JAN-1998 19:57:06
END

```

Binary Table Header

```

XTENSION= 'BINTABLE' /Written by IDL: 21-Jan-1998 19:57:07.00
BITPIX = 8 /
NAXIS = 2 /Binary table
NAXIS1 = 14 /Number of bytes per row
NAXIS2 = 562 /Number of rows
PCOUNT = 0 /Random parameter count
GCOUNT = 1 /Group count
TFIELDS = 4 /Number of columns
TFORM1 = '1E ' /Real*4 (floating point)
TTYPER1 = 'WAVELENGTH' /Label for column 1
TUNIT1 = 'ANGSTROM' /Units of column 1
TDISP1 = 'F10.3 ' /Display format for column 1
TFORM2 = '1E ' /Real*4 (floating point)
TTYPER2 = 'FLUX ' /Label for column 2
TUNIT2 = 'ERG/CM2/S/A' /Units of column 2
TDISP2 = 'E15.7 ' /Display format for column 2
TFORM3 = '1E ' /Real*4 (floating point)
TTYPER3 = 'SIGMA ' /Label for column 3
TUNIT3 = 'ERG/CM2/S/A' /Units of column 3
TDISP3 = 'E15.7 ' /Display format for column 3
TFORM4 = '1I ' /Integer*2 (short integer)
TTYPER4 = 'QUALITY ' /Label for column 4
TUNIT4 = ' ' /Units of column 4
TDISP4 = 'I7 ' /Display format for column 4
FILENAME= 'LWR10880LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END

```

