



The INES Archive Data Server

LWR07881LL.FITS Headers

Primary Header

```
SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '16/06/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 7881 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNNSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'NO' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 344.83 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 76.8 / Cross-correlation % successful
ITF = 'LWR83R94A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=1.2X,B=53
COMMENT BY RA: LWR 0-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 7 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 1799.656 SEC.(EFF); 1800.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 2099.484 SEC.(EFF); 2100.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 2099.484 SEC.(EFF); 2100.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 2099.484 SEC.(EFF); 2100.0 SEC.(COM)
COMMENT BY RA: SEGMENT 6 EXPOSED 2099.484 SEC.(EFF); 2100.0 SEC.(COM)
COMMENT BY RA: SEGMENT 7 EXPOSED 2099.484 SEC.(EFF); 2100.0 SEC.(COM)
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
DATEOBS = '28/05/80' / Observing date
TIMEOBS = '14:41:36' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode
EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 13496.666 / Integration time in seconds
RA = 225.9583 / Homogeneous R.A. in degrees
DEC = -22.1844 / Homogeneous Dec. in degrees
```

```

TARGET   = '349 DEMBOWSKI'      / Object as given by Guest Observer
TARGRA   =          225.9583    / R.A. in degrees (given by G0)
TARGDEC  =          -22.1844    / Dec. in degrees (given by G0)
OBJECT    = 'ZZ  349 DEMBOWSK'  / Homogeneous Object ID
HJD-MID  =          2444388.19589 / JD middle of obs. with Heliocentric corr.
COMMENT   IUE-VICAR HEADER START
          LWR7881, 349 DEMBOWSKA, LO DISP, LG APER
          OBSERVERS: VEEDER/NELSON, PROGRAM: SACDM, DATE: 1980.149..
COMMENT   IUE-VICAR HEADER END
HISTORY   START RAW_SCREEN                      16-JUN-1997 19:50:42
HISTORY   45 BRIGHT SPOTS DETECTED
HISTORY   0 MISSING MINOR FRAMES DETECTED
HISTORY   0 LINES AFFECTED BY MICROPHONICS:
HISTORY   LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY   POINT SOURCE
HISTORY   LARGE APERTURE CONTINUUM DN LEVEL = 185
HISTORY   SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY   BACKGROUND DN LEVEL = 62
HISTORY   END RAW_SCREEN                      16-JUN-1997 19:51:20
HISTORY   START EXTRACTION                    21-JAN-1998 11:06:35
HISTORY   INES NOISE MODEL USED
HISTORY   CROSS-DISPERSION PROFILES BINNED IN 17 BLOCKS
HISTORY   EMPIRICAL EXTRACTION
HISTORY   CENTROID FOUND AT LINE 51.2
HISTORY   REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY   OUT OF 14720 PIXELS 0 REJECTED AS COSMIC RAY HITS
HISTORY   END EXTRACTION                    21-JAN-1998 11:06:45
END

```

Binary Table Header

```

XTENSION= 'BINTABLE'      /Written by IDL: 21-Jan-1998 11:06:45.00
BITPIX  =          8      /
NAXIS   =          2      /Binary table
NAXIS1  =          14     /Number of bytes per row
NAXIS2  =          562    /Number of rows
PCOUNT  =          0      /Random parameter count
GCOUNT  =          1      /Group count
TFIELDS =          4      /Number of columns
TFORM1  = '1E          '  /Real*4 (floating point)
TTYPE1  = 'WAVELENGTH'    /Label for column 1
TUNIT1  = 'ANGSTROM'      /Units of column 1
TDISP1  = 'F10.3         ' /Display format for column 1
TFORM2  = '1E          '  /Real*4 (floating point)
TTYPE2  = 'FLUX          ' /Label for column 2
TUNIT2  = 'ERG/CM2/S/A'   /Units of column 2
TDISP2  = 'E15.7         ' /Display format for column 2
TFORM3  = '1E          '  /Real*4 (floating point)
TTYPE3  = 'SIGMA         ' /Label for column 3
TUNIT3  = 'ERG/CM2/S/A'   /Units of column 3
TDISP3  = 'E15.7         ' /Display format for column 3
TFORM4  = '1I          '  /Integer*2 (short integer)
TTYPE4  = 'QUALITY       ' /Label for column 4
TUNIT4  = '              ' /Units of column 4
TDISP4  = 'I7           '  /Display format for column 4
FILENAME= 'LWR07881LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END

```

