



The INES Archive Data Server

LWR07882LL.FITS Headers

Primary Header

```
SIMPLE = T / Standard FITS Format
BITPIX = 8 / 8 bits ASCII
NAXIS = 0 / No image data
EXTEND = T / Extensions are present
TELESCOP= 'IUE' / International Ultraviolet Explorer
DATE = '07/09/97' / Date file is written (*new FITS standard*)
ORIGIN = 'GSFC' / Institution generating the file
CAMERA = 'LWR' / Camera
IMAGE = 7882 / Sequential image number
DISPERSN= 'LOW' / Dispersion processing type
APERTURE= 'LARGE' / Aperture
ABNNSTD= 'NO' / Non-standard image acquisition
ABNBADSC= 'NO' / LWP bad scans
ABNHTRWU= 'NO' / LWR heater warmup
ABNREAD = 'NO' / Read at other than 20 KB
ABNUVC = 'NO' / Non-standard UVC voltage
ABNHISTR= 'NO' / History replay
ABNOTHER= 'NO' / Other abnormality
POSANGLE= 344.83 / Pos angle of the large aperture (deg)
ABNMINFR= 'NO' / Bad/missing minor frames
CC-PERCN= 84.1 / Cross-correlation % successful
ITF = 'LWR83R94A' / ITF identification
COMMENT BY RA: EXP 1 APER L C=165,B=42
COMMENT BY RA: LWR 0-MINUTE HEATER WARMUP
COMMENT BY RA: 0 MISSING MINOR FRAMES NOTED ON SCRIPT
COMMENT BY RA: EXP 1 TRACKED ON GYROS
COMMENT BY RA: S PREP USED
COMMENT BY RA: OFFSET 1 FROM: UNKNOWN
COMMENT BY RA: OFFSET 1 COORDINATES: 15 03 33.6 -21 50 18
COMMENT BY RA: OFFSET 1 MAGNITUDE: 6.100
COMMENT BY RA: EXPOSURE 1 SEGMENTED ( 6 EXPOSURES)
COMMENT BY RA: SEGMENT 1 EXPOSED 1799.656 SEC.(EFF); 1800.0 SEC.(COM)
COMMENT BY RA: SEGMENT 2 EXPOSED 2099.484 SEC.(EFF); 2100.0 SEC.(COM)
COMMENT BY RA: SEGMENT 3 EXPOSED 1799.656 SEC.(EFF); 1800.0 SEC.(COM)
COMMENT BY RA: SEGMENT 4 EXPOSED 1199.592 SEC.(EFF); 1200.0 SEC.(COM)
COMMENT BY RA: SEGMENT 5 EXPOSED 899.765 SEC.(EFF); 900.0 SEC.(COM)
COMMENT BY RA: SEGMENT 6 EXPOSED 479.516 SEC.(EFF); 480.0 SEC.(COM)
COMMENT BY RA: Homogeneous coordinates not available; G0 coordinates used.
DATEOBS = '28/05/80' / Observing date
TIMEOBS = '19:23:50' / Observing time
EXPTRMD = 'NO-TRAIL' / Trail mode
EXPMULT = 'NO' / Multiple exposure mode
EXPSEGM = 'YES' / Segmented exposure code
EXPTIME = 8277.669 / Integration time in seconds
```

```

RA      =          225.9167 / Homogeneous R.A. in degrees
DEC     =          -22.1786 / Homogeneous Dec. in degrees
TARGET  = '349 DEMBOWSKI'   / Object as given by Guest Observer
TARGRA  =          225.9167 / R.A. in degrees (given by G0)
TARGDEC =          -22.1786 / Dec. in degrees (given by G0)
OBJECT  = 'ZZ 349 DEMBOWSK' / Homogeneous Object ID
HJD-MID =          2444388.36167 / JD middle of obs. with Heliocentric corr.
COMMENT IUE-VICAR HEADER START
        LWR7882, 349 DEMBOWSKA, 138MIN, LO DISP, LG APER
        OBSERVERS: VEEDER/NELSON, PROGRAM: SACDM, DATE: 1980.149..
COMMENT IUE-VICAR HEADER END
HISTORY START RAW_SCREEN                      7-SEP-1997 02:12:09
HISTORY 50 BRIGHT SPOTS DETECTED
HISTORY 0 MISSING MINOR FRAMES DETECTED
HISTORY 2 LINES AFFECTED BY MICROPHONICS:
HISTORY LINE: 520
HISTORY LINE: 521
HISTORY LARGE APERTURE SPECTRUM WILL BE EXTRACTED AS
HISTORY POINT SOURCE
HISTORY LARGE APERTURE CONTINUUM DN LEVEL = 135
HISTORY SMALL APERTURE CONTINUUM DN LEVEL = 0
HISTORY BACKGROUND DN LEVEL = 50
HISTORY END RAW_SCREEN                      7-SEP-1997 02:13:27
HISTORY START EXTRACTION                    21-JAN-1998 11:06:47
HISTORY INES NOISE MODEL USED
HISTORY CROSS-DISPERSION PROFILES BINNED IN 11 BLOCKS
HISTORY EMPIRICAL EXTRACTION
HISTORY CENTROID FOUND AT LINE 52.4
HISTORY REJECT PIXELS DEVIATING BY 5.0 SIGMA
HISTORY OUT OF 14720 PIXELS 8 REJECTED AS COSMIC RAY HITS
HISTORY END EXTRACTION                    21-JAN-1998 11:06:58
END

```

Binary Table Header

```

XTENSION= 'BINTABLE' /Written by IDL: 21-Jan-1998 11:06:59.00
BITPIX  =          8 /
NAXIS   =          2 /Binary table
NAXIS1  =         14 /Number of bytes per row
NAXIS2  =        562 /Number of rows
PCOUNT  =          0 /Random parameter count
GCOUNT  =          1 /Group count
TFIELDS =          4 /Number of columns
TFORM1  = '1E      ' /Real*4 (floating point)
TTYPE1  = 'WAVELENGTH' /Label for column 1
TUNIT1  = 'ANGSTROM'  /Units of column 1
TDISP1  = 'F10.3     ' /Display format for column 1
TFORM2  = '1E      ' /Real*4 (floating point)
TTYPE2  = 'FLUX      ' /Label for column 2
TUNIT2  = 'ERG/CM2/S/A' /Units of column 2
TDISP2  = 'E15.7     ' /Display format for column 2
TFORM3  = '1E      ' /Real*4 (floating point)
TTYPE3  = 'SIGMA     ' /Label for column 3
TUNIT3  = 'ERG/CM2/S/A' /Units of column 3
TDISP3  = 'E15.7     ' /Display format for column 3
TFORM4  = '1I      ' /Integer*2 (short integer)
TTYPE4  = 'QUALITY   ' /Label for column 4
TUNIT4  = '          ' /Units of column 4
TDISP4  = 'I7       ' /Display format for column 4
FILENAME= 'LWR07882LL.FITS' /Filename(camera)(number)(disp)(aper).FITS
END

```

